AMENDMENTS TO THE DRAWINGS

The attached three (3) sheets of drawings include changes to FIGs. 28-30. These sheets, which include FIGs. 26-30, replace the original sheets including FIGs. 26-30. In FIG. 28, reference sign 40 has been included to comply with 37 CFR § 1.84(p)(5). In FIGs. 29-30, the label "Prior Art" has been added to comply with MPEP § 608.02(g).

FIG. 26

COLOR CHARACTERISTIC DATA ~ 17

| COMPRESSED MULTIDIMENSIONAL LUT | ~ 27 |

| IDENTIFIER INDICATING RESTORING METHOD | ~ 29 |

| S/W FOR RESTORING METHOD | ~ 30 |

| S/W FOR CONVERTING MULTI DIMENSIONAL LUT INTO ICC PROFILE | ~ 37 |

FIG. 27

| 38 | 40 | 39 |

IMAGE DATA FORMAT (1) ⟹ IMAGE CONVERTING APPARATUS ⟹ IMAGE DATA FORMAT (2)

FIG. 28

| 38 | 40 | 39 |

IMAGE DATA FORMAT (1) ⟹ IMAGE CONVERTING APPARATUS ⟹ IMAGE DATA FORMAT (2)

COLOR CHARACTERISTIC DATA

COLOR CHARACTERISTIC DATA

COLOR CHARACTERISTIC DATA ~ 17

FIG. 29
PRIOR ART

BYTE OFFSET	CONTENT
0 - 3	'mft1' (6D667431h) [MULTI-FUNCTION TABLE WITH 1 BYTE PRECISION] TYPE DESCRIPTOR
4 - 7	RESERVED, MUST BE SET 0
8	NUMBER OF INPUT CHANNELS
9	NUMBER OF OUTPUT CHANNELS
10	NUMBER OF CLUT GRID POINTS (IDENTICAL FOR EACH SIDE)
11	RESERVED FOR PADDING (FILL WITH 00h)
12 - 15	ENCODED e00 PARAMETER
16 - 19	ENCODED e01 PARAMETER
20 - 23	ENCODED e02 PARAMETER
24 - 27	ENCODED e10 PARAMETER
28 - 31	ENCODED e11 PARAMETER
32 - 35	ENCODED e12 PARAMETER
36 - 39	ENCODED e20 PARAMETER
40 - 43	ENCODED e21 PARAMETER
44 - 47	ENCODED e22 PARAMETER
48 - m	INPUT TABLES
m+1 - n	CLUT VALUES
n+1 - o	OUTPUT TABLES

FIG. 30
PRIOR ART

INPUT IMAGAE SIGNAL → [C11 MATRIX] → [C12 ONE-DIMENSIONAL INPUT TABLE] → [C13 MULTIDIMENSIONAL LOOKUP TABLE] → [C14 ONE-DIMENSIONAL OUTPUT TABLE] → OUTPUT IMAGAE SIGNAL (C1)